

# ***Kynar 500<sup>®</sup>***

RESIN-BASED METAL COATINGS FOR RESIDENTIAL ROOFING



## No fading, no chalking, no chipping

Metal has rapidly become the material of choice for residential roofing. Architects are using it in new and bold ways. Metal is durable, saves energy, and is fire resistant, increases real estate value, and holds its beauty far longer than other roofing materials like composition or wooden shingles.

With all that said, metal must still be protected from weathering by a coating that will keep the appearance looking rich and vibrant year after year. And the premier metal finishes in all the world are those based on KYNAR 500® PVDF resins.

Since 1965, KYNAR 500 resin-based coatings have provided literally billions of square feet of protection against weathering, aging, and pollution on commercial, industrial, institutional, and residential buildings.

When compared to other metal coating technologies, KYNAR 500 resin-based finishes clearly deliver exceptional performance. The panels shown at right, compiled by an independent testing laboratory, confirm KYNAR 500 resin's superior performance over competing technologies.



## Cool metal roofing using KYNAR 500® based coatings

The choice of roofing material has the greatest impact on the energy efficiency of a home. Cool metal roofs coated with KYNAR 500® resin-based coatings can reduce energy consumption by up to 40% as reported by the Oak Ridge National Laboratory as part of a total system design. KYNAR 500 based painted metal roofing can achieve solar reflectance of over 70%. Reflected solar energy allows the roof surface to remain cooler, which means less heat is transferred into the building, resulting in lower home cooling costs.

Metal roofs coated with KYNAR 500 resin-based paints are included on the U.S. EPA's Energy Star Roof Products Program as well as the California Energy Commission's Cool Roof Savings Program.

Metal roofing is tested for wind, fire and hail resistance and is listed within many building codes. Furthermore, tests performed by independent laboratories show KYNAR 500® resin-based coatings possess exceptional flame retardant properties in addition to being extremely weatherable, durable and chemically resistant.



# KYNAR 500® resin vs. Competitors

## 15 YEARS EXPOSURE

Unexposed | Exposed



KYNAR 500 BLUE



SILICON BLUE

## 17 YEARS EXPOSURE

Unexposed | Exposed



KYNAR 500 BRONZE



SILICONE POLYESTER BRONZE

## 17 YEARS EXPOSURE

Unexposed | Exposed



KYNAR 500 RED



POLYESTER POWDER ORANGE

## 17 YEARS EXPOSURE

Unexposed | Exposed



KYNAR 500 YELLOW



HIGH PERFORMANCE POLYESTER YELLOW

Can you tell where the original leaves off and the addition picks up?



## Weatherability means continuity

This house is located on the shores of Lake Erie in the United States, a region known for fierce winters. An addition was built five years after the initial construction. Obviously, the secret to building a successful addition is making it appear as if it were part of the original project. This can be a serious problem for painted metal unless the coating is based on KYNAR 500® resin. Its capacity to retain a color's richness and luster—in the face of extreme weather and general wear and tear—allows you to confidently design additions without disrupting aesthetic continuity.



### HOME DEPOT

The experts at Home Depot trust KYNAR 500 resin-based metal coatings to maintain consistent color year after year.

## Contact us around the world.

### Arkema Inc.

2000 Market Street  
Philadelphia, PA 19103-3222  
215-419-7000

### Arkema

4-8 Cours Michelet  
La Defense 10  
F-92091 Paris La Defense Cedex  
33-1-49008154

### Arkema -

#### India Branch Office

Pharma Search House, 4th floor  
Near Cama Cola Factory  
BG Kher Marg  
Worli, Mumbai-400 018  
0091-22-2490-1743

### Arkema Pte Ltd.

53, Tuas Crescent  
Singapore 638732  
65-6419-9018

### Arkema K.K.

Fukoku Seimei Bldg 15F  
2-2-2 Uchisaiwaicho  
Chiyoda-Ku  
Tokyo 100-011, Japan  
81-3-5251-9665

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Arkema expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement.

See MSDS for Health & Safety Considerations

© 2005 Arkema Inc. All rights reserved.

KYNAR 500® is a registered trademark belonging to Arkema Inc.



Arkema Inc.  
2000 Market Street  
Philadelphia, PA 19103-3222  
Tel.: 215-419-7000  
[www.arkemagroup.com](http://www.arkemagroup.com)